



Humidity Control Systems, Inc.
 P.O. Box 21066
 Carson City, NV 89721
Toll Free: 1-888-900-2653 (COLD) Fax: 775-246-2005
www.coolerking.com

SURVEY FORM

Thank you for participating in your company's **CoolerKING®** evaluation. As a wrap-up to the evaluation, please take a few minutes to complete the following survey and fax it back to us at 775-246-2005.

Please put an **X** under the number that best reflects the strength of your opinion about each question. An **X** under the **5** indicates the most positive response while an **X** under the **0** indicates no noticeable difference. Notes can be made in the column on the right and at the bottom of the page.

Questions	5	4	3	2	1	0	Notes
Have you noticed a drop in temperature?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If so how much?
Is your cooler staying consistently colder throughout the day?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is your cooler drier? (ie: floor, ceiling, walls, blower, etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the floor drying faster after mopping?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Has there been a noticeable reduction of odor?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Have you noticed food staying fresher and/or lasting longer?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	What items?

Additional comments:

Company Name Store #

Signature _____ Date

Printed Name/Title Phone